

**8 dBi
Omni
PCS
Antenna**

PHAZAR™
WIRELESS ANTENNAS

- One-Piece Seamless Fiberglass Radome
- Three Color Choices or Will Custom Match
- 5 Year Guarantee
- Model PCS360-1850-8-T0
- 0-4 Degrees Electrical Downtilt Available



ELECTRICAL SPECIFICATIONS

SPECS	PERFORMANCE
Frequency Range	1850-1990 MHz
VSWR, Typical / Maximum	1.5 / 1.7
Forward Gain (over half-wave dipole)	8 dBi
Polarization	Vertical
Max Power Input	300 Watts Continuous with Type N Connector
Vertical Beamwidth (-3 dB Points)	16 Degrees
Horizontal Beamwidth (-3 dB Points)	Omni
Electrical Downtilt	0-4 Degrees

MECHANICAL SPECIFICATIONS

SPECS	PERFORMANCE
Termination	7/16 DIN
Mounting Clamps	Galvanized Clamps and Stainless Steel Hardware / 2 sets
Weight	4 lbs
Lateral Thrust @ 100 MPH	22 lbs
Torsional Moment @ 100 MPH	10.3 ft lbs
Antenna Dimensions, Inches	32.5 Long x 1.75 Inch OD
Flat Plate Equivalent	.24 Sq Ft

ENVIRONMENTAL SPECIFICATIONS

Wind Survival	155 MPH
---------------	---------

Lightning Protection

Direct Ground